

Instructions

1. ★ is indicating the difficulty level. ★ for Basic, ★★ for Intermediate, ★★★ for Advance
2. Seeking your help to make Qubits better. Questions are collated from various sources. Though we try our best to ensure their validity, if you find any question, do let us know using the comments icon.

Questions: 2 / 10

14:55 

Submit

Question 3/10



Which method rolls back the present transaction?

- ☐ commit()
- ☐ undo()
- ☐ mysqli_rollback()
- ☐ rollback()

Question 4/10



To declare the function to confirm the deletion you need to add the code to _____.

- ☐ inc.PHP
- ☐ functions.inc.PHP
- ☐ include.PHP
- ☐ functions.include.PHP

Question 5/10



Which version of PHP allows you to define constant properties within a class?

- ☐ PHP 4
- ☐ PHP 4.1
- ☐ PHP 4.3
- ☐ PHP 5

Question 6/10



Which one of the following statements is true about sequence diagrams?

- ☐ A sequence diagram is a class-based
- ☐ A sequence diagram presents the participants of a system from right to left
- ☐ The vertical broken lines represent the lifetime of the class in the system
- ☐ A sequence diagram is object-based

Question 7/10



What will be the output of the following PHP code?

```
< ?PHP
$x = 1;
$y = 2;
$z = "$x + $y ";
echo "$z ";
?<
```

- ☐ \$x + \$y
- ☐ 3
- ☐ 1+2

○ 12

Question 8/10



PHP supports ____ types of looping techniques.

- ☐ 2
- ☐ 3
- ☐ 4
- ☐ 1

Question 9/10



A function name is not case-sensitive?

< ?PHP

```
function prolf($num1, $num2, $num3)
{
    $mul = $num1 * $num2 * $num3;
    echo "The product is $mul ";
}
```

prolf(1, 2, 3, 4);

? >

- ☐ 24
- ☐ 8
- ☐ 6
- ☐ Error: to many argument.

Question 10/10



A function name is not case-sensitive?

< ?PHP

```
function funcIfc()
{
    echo "This is letsfindcourse ";
}
```

// Calling the function
funcIfc();

? >

- ☐ This is Ifc
- ☐ This is letsfindcourse
- ☐ No Output
- ☐ Error

Submit